

**Hawai'i Uninsured Population, by Age Group:
Hawai'i Health Survey, 1998-2004,
Three-Year Moving Average**

| Survey Years | Children Age 0-18 | | | Adults Age 19-34 | | | Adults Age 35-54 | | | Adults Age 55-64 | | | Elderly Age 65 and Over | | |
|--------------|-------------------|--------------------|-------------------|------------------|------------------|-------------------|------------------|------------------|-------------------|------------------|------------------|-------------------|-------------------------|-------------------|-------------------|
| | Total Children | Uninsured Children | Percent Uninsured | Total Adults | Uninsured Adults | Percent Uninsured | Total Adults | Uninsured Adults | Percent Uninsured | Total Adults | Uninsured Adults | Percent Uninsured | Total Persons | Uninsured Persons | Percent Uninsured |
| 1998-2000 | 313,436 | 14,647 | 4.67% | 260,006 | 25,203 | 9.69% | 354,440 | 24,412 | 6.89% | 103,905 | 5,280 | 5.08% | 150,243 | 3,915 | 2.61% |
| 1999-2001 | 310,461 | 12,995 | 4.19% | 251,661 | 23,039 | 9.16% | 359,465 | 23,408 | 6.51% | 109,212 | 5,727 | 5.24% | 152,814 | 3,709 | 2.43% |
| 2000-2002 | 308,919 | 12,066 | 3.91% | 245,531 | 21,991 | 8.96% | 367,245 | 25,504 | 6.95% | 115,377 | 5,183 | 4.49% | 155,291 | 2,679 | 1.73% |
| 2001-2003 | 310,277 | 10,706 | 3.45% | 240,393 | 21,366 | 8.89% | 371,987 | 26,411 | 7.10% | 124,509 | 6,710 | 5.39% | 158,017 | 2,046 | 1.30% |
| 2002-2004 | 311,289 | 11,209 | 3.60% | 236,734 | 21,587 | 9.12% | 377,071 | 25,905 | 6.87% | 135,576 | 7,236 | 5.34% | 160,199 | 1,911 | 1.19% |

Source: University of Hawai'i weighted tabulations. Hawai'i Health Survey (HHS), 1998-2004, Hawai'i Sample.

**Hawai'i Uninsured Children Age 0-18:
Hawai'i Health Survey, 1998-2004,
Three-Year Moving Average**

| Survey Years | Total Children | Standard Error | 95% Confidence Interval | | Uninsured Children | Standard Error | 95% Confidence Interval | | Percent Uninsured | Standard Error | 95% Confidence Interval | |
|--------------|----------------|----------------|-------------------------|-------------|--------------------|----------------|-------------------------|-------------|-------------------|----------------|-------------------------|-------------|
| | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound |
| 1998-2000 | 313,436 | 5,226 | 303,193 | 323,678 | 14,647 | 1,145 | 12,403 | 16,891 | 4.67% | 0.36% | 4.02% | 5.43% |
| 1999-2001 | 310,461 | 4,939 | 300,779 | 320,142 | 12,995 | 935 | 11,162 | 14,828 | 4.19% | 0.30% | 3.64% | 4.81% |
| 2000-2002 | 308,919 | 6,512 | 296,156 | 321,683 | 12,066 | 1,078 | 9,953 | 14,179 | 3.91% | 0.35% | 3.28% | 4.64% |
| 2001-2003 | 310,277 | 6,704 | 297,136 | 323,418 | 10,706 | 1,128 | 8,495 | 12,916 | 3.45% | 0.36% | 2.81% | 4.23% |
| 2002-2004 | 311,289 | 6,886 | 297,791 | 324,787 | 11,209 | 1,164 | 8,928 | 13,491 | 3.60% | 0.37% | 2.94% | 4.40% |

Source: University of Hawai'i weighted tabulations. Hawai'i Health Survey (HHS), 1998-2004, Hawai'i Sample.

**Hawai`i Uninsured Adults Age 19-34:
Hawai`i Health Survey, 1998-2004,
Three-Year Moving Average**

| Survey Years | Total Adults | Standard Error | 95% Confidence Interval | | Uninsured Adults | Standard Error | 95% Confidence Interval | | Percent Uninsured | Standard Error | 95% Confidence Interval | |
|--------------|--------------|----------------|-------------------------|-------------|------------------|----------------|-------------------------|-------------|-------------------|----------------|-------------------------|-------------|
| | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound |
| 1998-2000 | 260,006 | 3,679 | 252,794 | 267,218 | 25,203 | 1,234 | 22,785 | 27,621 | 9.69% | 0.46% | 8.84% | 10.62% |
| 1999-2001 | 251,661 | 3,615 | 244,574 | 258,748 | 23,039 | 1,098 | 20,886 | 25,192 | 9.16% | 0.42% | 8.36% | 10.02% |
| 2000-2002 | 245,531 | 5,483 | 234,785 | 256,278 | 21,991 | 1,464 | 19,120 | 24,861 | 8.96% | 0.57% | 7.90% | 10.14% |
| 2001-2003 | 240,393 | 5,654 | 229,309 | 251,476 | 21,366 | 1,469 | 18,486 | 24,247 | 8.89% | 0.59% | 7.80% | 10.11% |
| 2002-2004 | 236,734 | 5,763 | 225,438 | 248,030 | 21,587 | 1,497 | 18,654 | 24,521 | 9.12% | 0.61% | 7.99% | 10.39% |

Source: University of Hawai`i weighted tabulations. Hawai`i Health Survey (HHS), 1998-2004, Hawai`i Sample.

**Hawai'i Uninsured Adults Age 35-54:
Hawai'i Health Survey, 1998-2004,
Three-Year Moving Average**

| Survey Years | Total Adults | Standard Error | 95% Confidence Interval | | Uninsured Adults | Standard Error | 95% Confidence Interval | | Percent Uninsured | Standard Error | 95% Confidence Interval | |
|--------------|--------------|----------------|-------------------------|-------------|------------------|----------------|-------------------------|-------------|-------------------|----------------|-------------------------|-------------|
| | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound |
| 1998-2000 | 354,440 | 3,578 | 347,427 | 361,453 | 24,412 | 1,177 | 22,106 | 26,719 | 6.89% | 0.33% | 6.28% | 7.56% |
| 1999-2001 | 359,465 | 3,475 | 352,655 | 366,276 | 23,408 | 1,066 | 21,319 | 25,497 | 6.51% | 0.29% | 5.96% | 7.11% |
| 2000-2002 | 367,245 | 6,636 | 354,239 | 380,252 | 25,504 | 1,939 | 21,703 | 29,304 | 6.95% | 0.51% | 6.01% | 8.01% |
| 2001-2003 | 371,987 | 6,798 | 358,662 | 385,312 | 26,411 | 1,980 | 22,529 | 30,292 | 7.10% | 0.51% | 6.16% | 8.18% |
| 2002-2004 | 377,071 | 6,931 | 363,485 | 390,657 | 25,905 | 1,973 | 22,039 | 29,772 | 6.87% | 0.51% | 5.94% | 7.93% |

Source: University of Hawai'i weighted tabulations. Hawai'i Health Survey (HHS), 1998-2004, Hawai'i Sample.

**Hawai`i Uninsured Adults Age 55-64:
Hawai`i Health Survey, 1998-2004,
Three-Year Moving Average**

| Survey Years | Total Adults | Standard Error | 95% Confidence Interval | | Uninsured Adults | Standard Error | 95% Confidence Interval | | Percent Uninsured | Standard Error | 95% Confidence Interval | |
|--------------|--------------|----------------|-------------------------|-------------|------------------|----------------|-------------------------|-------------|-------------------|----------------|-------------------------|-------------|
| | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound |
| 1998-2000 | 103,905 | 2,296 | 99,405 | 108,405 | 5,280 | 499 | 4,301 | 6,259 | 5.08% | 0.47% | 4.23% | 6.09% |
| 1999-2001 | 109,212 | 2,288 | 104,727 | 113,696 | 5,727 | 513 | 4,721 | 6,733 | 5.24% | 0.46% | 4.41% | 6.22% |
| 2000-2002 | 115,377 | 3,793 | 107,941 | 122,812 | 5,183 | 620 | 3,968 | 6,397 | 4.49% | 0.54% | 3.55% | 5.67% |
| 2001-2003 | 124,509 | 3,980 | 116,708 | 132,310 | 6,710 | 732 | 5,276 | 8,145 | 5.39% | 0.59% | 4.35% | 6.66% |
| 2002-2004 | 135,576 | 4,036 | 127,666 | 143,487 | 7,236 | 733 | 5,799 | 8,672 | 5.34% | 0.54% | 4.37% | 6.50% |

Source: University of Hawai`i weighted tabulations. Hawai`i Health Survey (HHS), 1998-2004, Hawai`i Sample.

**Hawai`i Uninsured Elderly Age 65 and Over:
Hawai`i Health Survey, 1998-2004,
Three-Year Moving Average**

| Survey Years | Total Persons | Standard Error | 95% Confidence Interval | | Uninsured Persons | Standard Error | 95% Confidence Interval | | Percent Uninsured | Standard Error | 95% Confidence Interval | |
|--------------|---------------|----------------|-------------------------|-------------|-------------------|----------------|-------------------------|-------------|-------------------|----------------|-------------------------|-------------|
| | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound | | | Lower Bound | Upper Bound |
| 1998-2000 | 150,243 | 2,853 | 144,650 | 155,836 | 3,915 | 497 | 2,941 | 4,888 | 2.61% | 0.33% | 2.04% | 3.33% |
| 1999-2001 | 152,814 | 2,717 | 147,489 | 158,139 | 3,709 | 454 | 2,818 | 4,599 | 2.43% | 0.29% | 1.91% | 3.08% |
| 2000-2002 | 155,291 | 5,039 | 145,414 | 165,167 | 2,679 | 379 | 1,935 | 3,423 | 1.73% | 0.25% | 1.30% | 2.28% |
| 2001-2003 | 158,017 | 5,168 | 147,887 | 168,147 | 2,046 | 332 | 1,396 | 2,696 | 1.30% | 0.21% | 0.94% | 1.78% |
| 2002-2004 | 160,199 | 5,137 | 150,129 | 170,268 | 1,911 | 296 | 1,330 | 2,492 | 1.19% | 0.19% | 0.88% | 1.62% |

Source: University of Hawai`i weighted tabulations. Hawai`i Health Survey (HHS), 1998-2004, Hawai`i Sample.