

**Hawai'i Uninsured Population, by Hawaiian & Pacific Islander Ethnicity:  
Hawai'i Health Survey, 2000-2004**

| Survey Year | Hawaiians & Pacific Islanders |                   | Non-Hawaiians & Non-Pacific Islanders |                   | Total Population  |                   |
|-------------|-------------------------------|-------------------|---------------------------------------|-------------------|-------------------|-------------------|
|             | Uninsured Persons             | Percent Uninsured | Uninsured Persons                     | Percent Uninsured | Uninsured Persons | Percent Uninsured |
| 2000        | 16,225                        | 5.47%             | 49,846                                | 5.63%             | 66,071            | 5.59%             |
| 2001        | 21,064                        | 6.96%             | 43,791                                | 4.93%             | 64,855            | 5.44%             |
| 2002        | 33,168                        | 6.74%             | 38,172                                | 5.36%             | 71,341            | 5.93%             |
| 2003        | 20,157                        | 6.85%             | 45,364                                | 4.90%             | 65,521            | 5.37%             |
| 2004        | 16,828                        | 6.03%             | 49,858                                | 5.20%             | 66,686            | 5.38%             |
| 2000-2004   | 21,488                        | 6.46%             | 45,406                                | 5.19%             | 66,895            | 5.54%             |

Source: University of Hawai'i weighted tabulations. Hawai'i Health Survey (HHS), 2000-2004, Hawai'i Sample.

**Hawai`i Uninsured Hawaiian & Pacific Islander Population:  
Hawai`i Health Survey, 2000-2004**

| Survey Year | Uninsured Hawaiians & Pacific Islanders | Standard Error | 95% Confidence Interval |             | Percent Uninsured | Standard Error | 95% Confidence Interval |             |
|-------------|---|----------------|-------------------------|-------------|-------------------|----------------|-------------------------|-------------|
|             |   |                | Lower Bound             | Upper Bound |                   |                | Lower Bound             | Upper Bound |
| 2000        | 16,225                                  | 1,990          | 12,323                  | 20,127      | 5.47%             | 0.64%          | 4.35%                   | 6.86%       |
| 2001        | 21,064                                  | 2,202          | 16,746                  | 25,381      | 6.96%             | 0.69%          | 5.73%                   | 8.44%       |
| 2002        | 33,168                                  | 6,515          | 20,396                  | 45,940      | 6.74%             | 1.24%          | 4.68%                   | 9.63%       |
| 2003        | 20,157                                  | 2,815          | 14,638                  | 25,675      | 6.85%             | 0.92%          | 5.25%                   | 8.88%       |
| 2004        | 16,828                                  | 1,847          | 13,206                  | 20,450      | 6.03%             | 0.64%          | 4.89%                   | 7.42%       |
| 2000-2004   | 21,488                                  | 1,585          | 18,382                  | 24,594      | 6.46%             | 0.45%          | 5.63%                   | 7.39%       |

Source: University of Hawai`i weighted tabulations. Hawai`i Health Survey (HHS), 2000-2004, Hawai`i Sample.

**Hawai`i Uninsured Non-Hawaiian & Non-Pacific Islander Population:  
Hawai`i Health Survey, 2000-2004**

| Survey Year | Uninsured Non-Hawaiians & Non-Pacific Islanders | Standard Error | 95% Confidence Interval |             | Percent Uninsured | Standard Error | 95% Confidence Interval |             |
|-------------|---|----------------|-------------------------|-------------|-------------------|----------------|-------------------------|-------------|
|             |   |                | Lower Bound             | Upper Bound |                   |                | Lower Bound             | Upper Bound |
| 2000        | 49,846  | 3,419          | 43,144                  | 56,549      | 5.63%             | 0.38%          | 4.93%                   | 6.43%       |
| 2001        | 43,791  | 2,810          | 38,284                  | 49,299      | 4.93%             | 0.31%          | 4.35%                   | 5.58%       |
| 2002        | 38,172  | 4,772          | 28,816                  | 47,528      | 5.36%             | 0.65%          | 4.22%                   | 6.79%       |
| 2003        | 45,364  | 3,539          | 38,426                  | 52,302      | 4.90%             | 0.38%          | 4.21%                   | 5.70%       |
| 2004        | 49,858  | 3,326          | 43,337                  | 56,378      | 5.20%             | 0.34%          | 4.56%                   | 5.91%       |
| 2000-2004   | 45,406  | 1,625          | 42,222                  | 48,591      | 5.19%             | 0.18%          | 4.85%                   | 5.56%       |

Source: University of Hawai`i weighted tabulations. Hawai`i Health Survey (HHS), 2000-2004, Hawai`i Sample.